

- 1) Kijima T, Suzuki M, Ueda K, Minami S, Takeda Y, Goya S, Matsuoka H, Kumagai T, Yoshida M, Osaki T, Tachibana I, Yokota S, Kawase I. Short-term gefitinib treatment brought about a long-term regression of bronchioloalveolar carcinoma without EGFR gene alterations: a case report. *Oncol Res.* 2007;16(10):489-95.
- 2) Kohno S, Tachibana I, Osaki T, Goya S, Matsuoka H, Kijima T, Yoshida M, Kumagai T, Ikeda J, Aozasa K, Kawase I. Multiple organ mucosa-associated lymphoid tissue lymphoma presenting with lymphangitic pattern of spread in the lung. *J Thorac Oncol.* 2007 Nov;2(11):1057-9.
- 3) Furukawa M, Nagatomo I, Kumagai T, Yamadori T, Takahashi R, Yoshimura M, Yoneda T, Takeda Y, Goya S, Matsuoka H, Kijima T, Yoshida M, Osaki T, Tachibana I, Greene MI, Kawase I. Gefitinib-sensitive EGFR lacking residues 746-750 exhibits hypophosphorylation at tyrosine residue 1045, hypoubiquitination, and impaired endocytosis. *DNA Cell Biol.* 2007 Mar;26(3):178-85.
- 4) Hayashi S, Matsuoka H, Harano T, Harano K, Nakahara H, Tachibana I, Kida H, Kawasaki T, Kyotani S, Oka Y, Sakatani M, Kawase I. A case of alpha-thalassemia -2 associated with pulmonary infarction. *Lung.* 2006;184(4):223-7.
- 6) Matsuoka H, Sisson TH, Nishiuma T, Simon RH. Plasminogen-mediated Activation and Release of Hepatocyte Growth Factor from Extracellular Matrix. *Am J Respir Cell Mol Biol* 2006;35(6):705-13.
- 7) Hayashi S, Matsuoka H, Harano T, Harano K, Nakahara H, Tachibana I, Kida H, Kawasaki T, Kyotani S, Oka Y, Sakatani M, Kawase I. A case of alpha-thalassemia-2 associated with pulmonary infarction. *Lung* 2006; 184(4):223-7.
- 8) Hayashi S, Abe K, Matsuoka H, Goya S, Morishita H, Mori M, Arai T, Kida H, Nishino K, Takeda Y, Osaki T, Tachibana I, Kimura K, Yokota S, Inoue Y, Sakatani M. Increased level of soluble E-selectin in the serum from patients with idiopathic pulmonary fibrosis. *Inflammation* 2004; 28(1):1-5.
- 9) Mori M, Morishita H, Nakamura H, Matsuoka H, Yoshida K, Kishima Y, Zhou Z, Kida H, Funakoshi T, Goya S, Yoshida M, Kumagai T, Tachibana I, Yamamoto Y, Kawase I, Hayashi S. Hepatoma-derived growth factor is involved in lung remodeling by stimulating epithelial growth. *Am J Respir Cell Mol Biol* 2004; 30(4): 459-69.
- 10) Yamamoto S, Ueno K, Imamura F, Matsuoka H, Nagatomo I, Omiya Y, Yoshimura M, Kusunoki Y. Usefulness of ultrathin bronchoscopy in diagnosis of lung cancer. *Lung Cancer.* 2004 Oct;46(1):43-8.
- 11) Goya S, Matsuoka H, Mori M, Morishita H, Kida H, Kobashi Y, Kato T, Taguchi Y, Osaki T, Tachibana I, Nishimoto N, Yoshizaki K, Kawase I, Hayashi S. Sustained interleukin-6 signalling leads to the development of lymphoid organ-like structures in the lung. *J Pathol* 2003; 200(1): 82-7.
- 12) Matsuoka H, Arai T, Mori M, Goya S, Kida H, Morishita H, Fujiwara H, Tachibana I, Osaki T, and Hayashi S. A p38 MAPK inhibitor, FR-167653, ameliorates murine bleomycin-induced pulmonary fibrosis. *Am J Physiol Lung Cell Mol Physiol* 2002; 283(1): L103-L112.
- 13) Mori M, Kida H, Morishita H, Goya S, Matsuoka H, Arai T, Osaki T, Tachibana I, Yamamoto S, Sakatani M, Ito M, Ogura T, and Hayashi S. Microsatellite instability in transforming growth factor - β 1 type II receptor gene in alveolar lining epithelial cells of idiopathic pulmonary fibrosis. *Am J Respir Cell Mol Biol* 2001; 24(4): 398-404.
- 14) Arai T, Abe K, Matsuoka H, Yoshida M, Mori M, Goya S, Kida H, Nishino K, Osaki T, Tachibana I, Kaneda Y, and Hayashi S. Introduction of the interleukin-10 gene into mice inhibited bleomycin-induced lung injury in vivo. *Am J Physiol Lung Cell mol Physiol* 2000; 278(5): L914-922.
- 15) Yoshida M, Sakuma-Mochizuki J, Abe K, Arai T, Mori M, Goya S, Matsuoka H, Hayashi S, Kaneda Y, and Kishimoto T. In vivo gene transfer of an extracellular domain of platelet-derived growth factor beta receptor by the HVJ-liposome method ameliorates bleomycin-induced pulmonary fibrosis. *Biochem Biophys Res Commun* 1999; 265(2): 503-508.
- 16) Abe K, Arai T, Mori M, Kida H, Goya S, Matsuoka H, Osaki T, Tachibana I, and Hayashi S. Effects of in vivo soluble selectin gene introduction of LPS-induced leukocyte accumulation in the murine lung. *Inflammation* 1999; 23(6): 523-534.
- 17) Yoshida M, Hayashi S, Sakuma-Mochizuki J, Abe K, Arai T, Mori M, Goya S, Matsuoka H, Kaneda Y, and Kishimoto T. Introduction of plasmid DNA and oligonucleotides into lung epithelial cells by the hemagglutinating virus of Japan (HVJ)-liposome method. *Somatic Cell and Molecular Genetics* 1999; 25: 49-57.
- 18) Wang NP, Fukui H, Matsuoka H, and Wada H. Determination of the molecular size of the hepatic H1 receptor by target size analysis. *Biochem Biophys Res Commun* 1986; 137(2): 593-598.
- 19) 田村慶朗, 阪谷和世, 山越信貴, 寺田晴子, 本多英弘, 小森千佳, 久原華子, 森下直子, 宍戸克子, 松岡洋人, 宍戸直彦, 石原英樹 非侵襲的陽圧換気により改善しえた気管・気管支狭窄を合併した慢性閉塞性肺疾患の1例 日呼吸会誌, 46(11): 915-920, 2008
- 20) 船越俊幹, 古川貢, 大崎匡, 木田博, 合屋将, 新井徹, 松岡洋人, 立花功, 林清二 経過中多彩な肺病変を呈したSystemic Lupus Erythematosusの1例 分子呼吸器病 1999; 3(4): 299-302.

総説

総説

- 1) 松岡洋人、石原英樹、川頭一郎 呼吸不全を治す 重症心不全の予防と治療 2009; 342-347.
- 2) 藤原弘士、松岡洋人 Th2細胞分化に関連する遺伝子 アレルギー科 2000; 10(5): 376-381.